Index

Volume 19, Numbers 1–6, February–December 1991

Authors

Abu-Fanas SH, Drucker DB and Hull PS, Evaluation of acrylic strips containing amoxycillin with clavulanic acid for local drug delivery, 92
Abu-Fanas SH, Drucker DB and Hull PS, Amoxycillin with clavulanic acid and tetracycline in periodontal therapy, 97
Abu-Fanas SH, Drucker DB, Hull PS, Reeder JC and Ganguli, LA, Identification, and susceptibility to seven antimicrobial agents, of 61 gram-negative anaerobic rods from periodontal pockets, 46
Adams D *see* Addy M, 148
Addy M, Loyn T and Adams D, Dentine hypersensitivity—effects of some proprietary mouthwashes on the dentine smear layer: a SEM study, 148
Ahmad I and Waters NE, Accuracy of dental surveyors, 181
Al-Hanbali E, Kelleway JP and Howlett JA, Acrylic denture distortion following double processing with microwaves or heat, 176
Angelini E, Pezzoli M, Rosalbino F and Zucchi F, Influence of corrosion on brazed joints' strength, 56
Arcoria CJ, Steele RE, Wagner MJ, Judy MM, Matthews JL and Hults DF, Enamel surface roughness and dental pulp response to coaxial carbon dioxide-neodymium: YAG laser irradation, 85
Arnell RD *see* McCrory PV, 171

Barnes IE *see* Steele JG, 226
Baylis RL *see* Shortall AC, 307
Bayne SC *see* Wilder AD, 214
Benington IC and Cunningham JL, Sorption determination of hollow VLC resin obturators, 124
Boering G *see* Raghoebar GM, 164
Borrello S *see* Grossi GB, 318
Braem M *see* Van Meerbeek B, 207
Braem M *see* Willems G, 362
Brännström M, Mattsson B and Torstenson B, Techniques for lining composite resin restorations: a critical approach, 71
Brown D *see* van Noort R, 327
Brown JW *see* El-Mowafy OM, 366
Bunczak MA *see* Sakaguchi RL, 312
Burtles R, Alfentanil with methohexitone in paediatric dental anaesthesia, 192

Causton BE *see* van Noort R, 327
Chadwick RG, McCabe JF, Walls AWG, Mitchell HL and Storer R, Comparison of a novel photogrammetric technique and modified USPHS criteria to minitor the wear of restorations, 39
Chan JC-Y, Hill FJ and Newman HN, Uptake of fluoride by sound and artificially carious enamel *in vitro* following application of topical sodium and amine fluorides, 110
Charlton DG, Murchison DF and Moore BK, Repairability of Type II glass polyalkenoate (ionomer) cements, 249
Cheung GSP, A preliminary investigation into the longevity and causes of failure of single unit extracoronal restorations, 160
Chiu CSW and Clark RKF, Reproducibility of natural head position, 130
Clark RKF *see* Chiu CSW, 130
Cleymaet R *see* Collys K, 230
Collys K, Cleymaet R, Coomans D and Slop D, Acid-etched enamel surfaces after 24 h exposure to calcifying media *in vitro* and *in vivo*, 230
Combe EC *see* McCrory PV, 171
see van Noort R, 327
Conry JP *see* Pintado MR, 33
Cook RJ, Response of the oral mucosa to denture wearing, 135
Coomans D *see* Collys K, 230
Cunningham JL *see* Benington IC, 124
Curtis PM, Farman AG and von Fraunhofer JA, Effects of gamma radiation on the *in vitro* wear of composite restorative materials, 241

Dawson AS *see* Smales RJ, 18
Deary IJ *see* Wright J, 352
Devlin H and Horner K, Measurement of mandibular bone mineral content using the dental panoramic tomogram, 116
Douglas WH *see* Pintado MR, 33
see Sakaguchi RL, 213
Drucker DB *see* Abu-Fanas SH, 46, 92, 97

El-Mowafy OM, Brown JW and McComb D, Radiopacity of direct ceramic inlay restorations, 366

Farman AG *see* Curtis PM, 241
Fletcher AM *see* van Noort R, 327

Galeotti T *see* Grossi GB, 319
Ganguli LA *see* Abu-Fanas SH, 46
Geissler PR *see* Wright J, 352
Giuliani M *see* Grossi GB, 319
Glantz P-O *see* Stafford GD, 80
Grossi GB, Borrello S, Giuliani M, Galeotti T and Miani C, Copper-zinc superoxide dismutase in human and animal dental pulp, 319

Harrison A *see* Zissis A, 199
Hill FJ *see* Chan JC-Y, 110
Hinoura K *see* Miyazaki M, 301
Hirose K *see* Miura H, 189
Hogg SD and Rugg-Gunn AJ, Can the oral flora adapt to sorbitol?, 263
Horner K *see* Devlin H, 116
Howlett JA *see* Al-Hanbali E, 176
Hull PS *see* Abu-Fanas SH, 46, 92, 97

Hults DF *see* Arcoria CJ, 85
Hussey DL, Pagni C and Linden GJ, Performance of 400 adhesive bridges fitted in a restorative dentistry department, 221

Inokoshi S *see* Willems G, 362
Isogai E *see* Miura H, 189
Ito N *see* Miura H, 189

Jagger RG *see* Jerolimov V, 245
Jerolimov V, Jagger RG and Milward PJ, Effect of the curing cycle on acrylic denture base glass transition temperatures, 245
Joyce-Bechal S *see* Kidd EAM, 317
Judy MM *see* Arcoria CJ, 85

Karaağaçlioğlu, L *see* Zaimoğlu A, 369
Kelleway JP *see* Al-Hanbali E, 176
Kelly P *see* McCrory PV, 171
Kidd EAM and Joyce-Bechal S, Penetration of chlorhexidine around amalgam restorations, 317
Knoll-Kohler E and Lewitzki O, Cardiohaemodynamic and plasma level responses to intraoral submucosal injection of adrenaline, 236
Krejci I and Lutz F, Marginal adaption of class V restorations using different restorative techniques, 24

Laird WRE and Walmsley AD, Ultrasound in dentistry. part I—biophysical interactions, 14
Lambrechts P *see* Van Meerbeek B, 207, 362
Leinfelder KF *see* Wilder AD, 214
Leppard PI *see* Smales RJ, 18, 272, 278
Lesaffre E *see* Van Meerbeek B, 207
Lewitzki O *see* Knoll-Kohler E, 236
Lilge C *see* Whitehouse RLS, 290
Linden GJ *see* Hussey DL, 221
Lizotte J *see* Whitehouse RLS, 290
Lloyd CH *see* Messer PF, 51
see van Noort R, 327
Loyn T *see* Addy M, 148
Lutz F *see* Krejci I, 24

Mair LH, Effect of surface conditioning on the abrasion rate of dental composites, 100
Markitziu A, Enamel solubility profile of irradiated rat molars, 304
Matthews JL *see* Arcoria CJ, 85
Mattsson B *see* Brännström M, 71
May KN *see* Wilder AD, 214
McCabe JF *see* Chadwick RG, 39, 226
see van Noort R, 327
McComb D *see* El-Mowafy OM, 366
McCrory PV, Tinston S, Piddock V, Kelly P, Combe EC and Arnell RD, Tin oxide coating of aluminous porcelain by reactive ion plating, 171
McCrosson J *see* Scott JA, 373
Messer PF, Piddock V and Lloyd CH, The strength of dental ceramics, 51
Miani C *see* Grossi GB, 319
Milosevic A, Calcium hydroxide in restorative dentistry, 3
Milward PJ *see* Jerolimov V, 245
Mitchell HL *see* Chadwick RG, 39
Miura H, Isogai E, Hirose K, Wakizaka H, Ueda I and Ito N, Application of a sucrose indicator strip to evaluate salivary sucrose clearance, 189
Miyazaki M, Hinoura K, Onose H and Moore BK, Effect of filter content of light-cured composites on bond strength to bovine dentine, 301
Moore BK *see* Charlton DG, 249

Moore BK *see* Miyazaki M, 301
Murchison DF *see* Charlton DG, 249

Newman HN *see* Chan JC-Y, 110
Noack MJ *see* Willems G, 362
Norman RD *see* Wilson NHF, 153
see Wilson MA

Onose H *see* Miyazaki M, 301
Oortwijn JC *see* Verdonschot EH, 357

Pagni C *see* Hussey DL, 221
Peters E *see* Whitehouse RLS, 290
Pezzoli M *see* Angelini E, 56
Piddock V *see* Messer PF, 51
see McCrory PV, 171
see van Noort R, 327
Pintado MR, Conry JP and Douglas WH, Fissure sealant wear at 30 months: new evaluation criteria, 33
Pitts, NB, Clinical trials and legal liability in the UK, 121
Diagnostic methods for caries: what is appropriate when?, 377
Porter K, Porter S, Scully C and Theyer Y, Injuries to dental patients and visitors, 127
Porter S *see* Porter K, 127

Raghoebar GM, Boering G and Vissink A, Clinical, radiographic and histological characteristics of secondary retention of permanent molars, 164
Reeder JC *see* Abu-Fanas SH, 46
Roeters FJ *see* Verdonschot EH, 357
Rosalbino F *see* Angelini E, 56
Rosen M and Touuz LZG, Influence of mixing disinfectant solutions into alginate on working time and accuracy, 186
Rosen M *see* Touyz LZG, 255
Roulet JF *see* Willems G, 362
Rugg-Gunn AJ *see* Hogg SD, 263

Sakaguchi RL, Sasik CT, Bunczak MA and Douglas WH, Strain gauge method for measuring polymerization contraction of composite resins, 312
Sasik CT *see* Sakaguchi RL, 312
Saunders WP, Sharkey SW, Smith GMcR and Taylor WG, Effect of impression tray design and impression technique upon the accuracy of stone casts produced from a putty-wash polyvinyl siloxane impression material, 283
Scott JA, Strang R and McCrosson J, Silane effects of luting resin bond to a Ni–Cr alloy, 373
Scully C *see* Porter K, 127
Sharkey SW *see* Saunders WP, 283
Sherriff M *see* van Noort R, 327
Shortall AC and Baylis RL, Microleakage around direct composite inlays, 307
Sloan P, Current concepts of the role of fibroblasts and extracellular matrix in wound healing and their relevance to oral implantology, 107
Slop D *see* Collys K, 230
Smales RJ, Webster DA, Leppard PI and Dawson AS, Prediction of amalgam restoration longevity, 18
Smales RJ, Webster DA and Leppard PI, Survival predictions of amalgam restorations, 272
Survival predictions of four types of dental restorative materials, 278
Smith GMcR *see* Saunders WP, 283
Stafford GD and Glantz P-O, Intraoral strain gauge measurements on complete dentures: a methodological study, 80

Steele JG, McCabe JF and Barnes IE, The properties of a titanium nitride coating for dental instruments, 226
Steele RE *see* Arcoria CJ, 85
Storer R *see* Chadwick RG, 39
Strang R *see* Scott JA, 373
see van Noort R, 327

Taylor DF *see* Wilder AD, 214
Taylor WG *see* Saunders WP, 283
Theyer Y *see* Porter K, 127
Tinston S *see* McCrory PV, 171
Torstenson B *see* Brännström M, 71
Touyz LZG and Rosen M, Disinfection of alginate impression material using disinfectants as mixing and soak solutions, 255
Touyz LZG *see* Rosen M, 186

Ueda I *see* Miura H, 189

Van Meerbeek B, Vanherle G, Lesaffre E, Braem M and Lambrechts P, Trends in the selection of dental filling materials, 207
Van Meerbeek B *see* Willems G, 362
van Noort R, Brown D, Causton BE, Combe EC, Fletcher AM, Lloyd CH, McCabe JF, Piddock V, Sherriff M, Strang R, Waters M, Waters NE and Watts DC, Dental Materials: 1990 literature review, 327
Vanherle G *see* Van Meerbeek B, 207
see Willems G, 362
Verdonschot EH, Oortwijn JC and Roeters FJ. Aesthetic properties of three Type II glass ionomer cements, 357
Vissink A *see* Raghoebar GM, 164
von Fraunhofer JA *see* Curtis PM, 241

Wagner MJ *see* Arcoria CJ, 85
Wakizaka H *see* Miura H, 189
Walls AWG *see* Chadwick RG, 39
Walmsley AD and Williams AR, Measurement of cavitational activity within ultrasonic baths, 62
Walmsley AD *see* Laird WRE, 14
Waters M *see* van Noort R, 327
Waters NE *see* Ahmad I, 181
see van Noort R, 327
Watts DC *see* van Noort R, 327
Webster DA *see* Smales RJ, 18, 272, 278
Whitehouse RLS, Peters E, Lizotte J and Lilge C, Influence of biofilms on microbial contamination in dental unit water, 290
Wilder AD, Bayne SC, May KN, Leinfelder KF and Taylor DF, Five-year clinical study of u.v. polymerized posterior composites, 214
Willems G, Noack MJ, Inokoshi S, Lambrechts P, van Meerbeek B, Braem M, Roulet J-F and Vanherle G, Radiopacity of composites compared with human enamel and dentine, 362
Williams AR *see* Walmsley AD, 62
Wilson MA and Norman RD, Investigation into incidence of voids in indirect composite inlays formed using different packing techniques, 296
Wilson NHF and Norman RD, Five-year findings of a multiclinical trial for a posterior composite, 153
Wright J, Deary IJ and Geissler PR, Depression hassles and somatic symptoms in mandibular dysfunction syndrome patients, 352

Zaimoğlu A and Karaağaçlioğu L, Marginal leakage in porcelain laminate veneers, 369
Zissis A, Huggett R and Harrison A, Measurement methods used for determination of dimensional accuracy and stability of denture base materials, 199
Zucchi F *see* Angelini E, 56

Subjects

A-silicones
impressions, impressions trays, technique, 283
Abrasion
composite resins, 100
Acid etching
enamel, remineralization, 230
Acrylic resins
dentures, microwaves, polymerization, 176
denture base materials, properties, 245
Adrenaline
cardiohaemodynamics, pharmacokinetics, 236
Aesthetics
glass polyalkenoate (ionomer) cements, clinical trial, physical properties, 357
Aetiology
mandibular dysfunction syndrome, 352
Alginates
disinfectants, 186
impressions, chlorhexidine, disinfection, 255
Amalgam
restorations, longevity, 18
restorations, microleakage, chlorhexidine, 317
restorations, survival predictions, 272
Antibiotics
periodontal disease, 92
periodontal therapy, 97
Antimicrocidal agents
periodontal pathogens, 46
Assessment
sugars, saliva, 189

Biofilms
equipment, microbiology, 290
Biophysics
complete dentures, methodology, 80
Bitewing radiography
diagnostic systems, caries, fibreoptic transillumination, 377
Bond Strength
corrosion, brazed joints, partial denture, Co–Cr alloy, 56
Bonding
etched cast metal restoration, silane, 373
Brazed joints
corrosion, partial denture, Co–Cr alloy, bond strength, 56
Bridgework
resin bonded, survey, 221

Calcium hydroxide
restorative dentistry, review, 3
Cardiohaemodynamics
adrenaline, pharmocokinetics, 236

Caries
enamel, 110
diagnostic systems, bitewing radiography, fibreoptic transillumination, 377
Cavity cleansing
dental composites, inlays, microleakage, 307
Ceramics
inlays, radiopacity, 366
Chinese
natural head position, reproductibility, 130
Chlorhexidine
alginates, impressions, disinfection, 255
restorations, amalgam, microleakage, 317
Clinical evaluation
pit and fissure sealants, wear, 33
Clinical trial
posterior composite, 153
glass polyalkenoate (ionomer) cements, aesthetics, physical properties, 357
Clinical trials
legal liability, 121
posterior composites (direct), u.v. curing, 214
Co–Cr alloy
corrosion, brazed joints, partial denture, bond strength, 56
Complete dentures
biophysics, methodology, 80
Composite placement
dental instruments, 226
Composite resins
restorations, operative techniques, marginal adaptation, 24
abrasion, 100
Composite restoratives
polymerization, technique, 312
Composites
dentine bonding, 301
enamel, dentine, radiopacity, 362
Corrosion
brazed joints, partial denture, Co–Cr alloy, bond strength, 56
Cross-infection control
ultrasound, ultrasonic baths, 62
Crowns
longevity, failures, 160

Dental ceramics
strength, 51
Dental composites
ionizing radiation, wear,241
inlays, microleakage, cavity cleansing, 307
inlays, technique, 296
Dental instruments
composite placement, 226
Dental materials
durability, photogrammetry, 39
Dental panoramic tomogram
osteoporosis, 116
literature, review, 327
Dental surveyors
undercut gauges, errors, 181
Dentine
dentine smear layer, dentine hypersensitivity, mouthwashes, 148
composites, enamel, radiopacity, 362
Dentine bonding
composites, 301
Dentine hypersensitivity
dentine, dentine smear layer, mouthwashes, 148
Dentine smear layer
dentine, dentine hypersensitivity, mouthwashes, 148
Dentistry
ultrasound, review, 14
Denture base materials
acrylic resins, properties, 245
dimensional accuracy and stability, measurement, review, 199
Dentures
acrylic resins, microwaves, polymerization, 176
oral mucosa, review, 135
Diagnostic systems
caries, bitewing radiography, fibreoptic transillumination, 377
Dimensional accuracy and stability
denture base materials, measurement, review, 199
Disinfectants
alginates, 186
Disinfection
alginates, impressions, chlorhexidine, 255
Drugs
paedodontics, general anaesthesia, 192
Durability
dental materials, photogrammetry, 39

Enamel
lasers (coaxial), pulpal response, 85
caries, 110
acid etching, remineralization, 230
composites, dentine, radiopacity, 362
Enamel solubility
irradiation, fluoridation, 304
Enzymes
pulp, inflammation, 319
Equipment
microbiology, biofilms, 290
Errors
dental surveyors, undercut gauges, 181
Etched cast metal restoration
silane, bonding, 373
Extracellular matrix
implantology, wound healing, fibroblasts, 107

Failures
crowns, longevity, 160
Fibreoptic transillumination
diagnostic systems, caries, bitewing radiography, 377
Fibroblasts
implantology, wound healing, extracellular matrix, 107
Fluoridation
irradiation, enamel solubility, 304

General anaesthesia
paedodontics, drugs, 192
Glass polyalkenoate (ionomer) cements
properties, repairs,249
aesthetics, clinical trial, physical properties, 357

Health care delivery
injuries, 127

Implantology
wound healing, fibroblasts, extracellular matrix, 107
Impression trays
impressions, A-silicones, technique, 283
Impressions
alginates, chlorhexidine, disinfection, 255
A-silicones, impression trays, technique, 283

Inflammation
pulp, enzymes, 319
Injuries
health care delivery, 127
Inlays
dental composites, microleakage, cavity cleansing, 307
dental composites, technique, 296
ceramics, radiopacity, 366
Ion plating
porcelain, 171
Ionizing radiation
dental composites, wear, 241
Irradiation
fluoridation, enamel solubility, 304

Lasers (coaxial)
enamel, pulpal response, 85
Legal liability
clinical trials, 121
Light curing
obdurators, sorption, 124
Linings
materials, techniques, review, 71
Literature
dental materials, review, 327
Longevity
amalgam, restorations, 18
crowns, failures, 160

Mandibular dysfunction syndrome
aetiology, 352
Marginal adaptation
composite resins, restorations, operative techniques, 24
Materials
linings, techniques, review, 71
Measurement
denture base materials, dimensional accuracy and stability, review, 199
Methodology
complete dentures, biophysics, 80
Microbiology
equipment, biofilms, 290
Microleakage
Dental composites, inlays, cavity cleansing, 307
restorations, amalgam, chlorhexidine, 317
veneers, porcelain, 369
Microwaves
acrylic resins, dentures, polymerization, 176
Mouthwashes
dentine, dentine smear layer, dentine hypersensitivity, 148

Natural head position
chinese, reproductibility, 130
Non-sugar sweetners
oral flora, review, 263

Obdurators
light curing, sorption, 124
Operative techniques
compositeresins, restorations, marginal adaptation, 24
Oral flora
non-sugar sweetners, review,263
Oral mucosa
dentures, review, 135
Osteoporosis
dental panoramic tomogram, 116
Paedodontics
general anaesthesia, drugs, 192

Partial denture
corrosion, brazed joints, Co-Cr alloy, bond strength, 56
Periodontal disease
antibiotics,92
Periodontal pathogens
antimicrocidal agents, 46
Periodontal therapy
antibiotics, 97
Permanent molars
secondary retention, 164
Pharmacokinetics
adrenaline, cardiohaemodynamics,236
Photogrammetry
dental materials, durability, 39
Physical properties
glass polyalkenoate (ionomer) cements, aesthetics, clinical trial, 357
Pit and fissure sealants
clinical evaluation, wear, 33
Polymerization
acrylic resins, dentures, microwaves, 176
Composite restoratives, technique, 312
Porcelain
ion plating, 171
microleakage, veneers, 369
Posterior composite
clinical trial, 153
Posterior composites (direct)
u.v. curing, clinical trials, 214
Properties
acrylic resins, denture base materials, 245
glass polyalkenoate (ionomer) cements, repairs, 249
Pulp
enzymes, inflammation, 319
Pulpal response
lasers (coaxial), enamel, 85

Radiopacity
ceramics, inlays, 366
composites, enamel, dentine, 362
Remineralization
enamel, acid etching, 230
Repairs
glass polyalkenoate (ionomer) cements, prosperties, 249
Reproductibility
natural head position, Chinese,130
Resin bonded
bridgework, survey, 221
Restorations
composite resins, operative techniques, marginal adaptation, 24
amalgam, longevity, 18
amalgam, microleakage, calcium hydroxide, review, 3
chlorhexidine, 317
amalgam, survival predictions, 272
survival predictions, 278
Restorative dentistry
restorative materials, selection, trends, 207
Restorative materials
restorative dentistry, selection, trends, 207
Review
ultrasound, dentistry, 14
linings, materials, techniques, 71
oral mucosa, dentures, 135
denture base materials, dimensional accuracy and stability, measurement, 199
oral flora, non-sugar sweetners, 163
dental materials, literature, 327
calcium hydroxide, restorative dentistry, 3

Saliva
sugars, assessment, 189
Secondary retention
permanent molars, 164
Selection
restorative dentistry, restorative materials, trends, 207
Silane
etched cast metal restoration, bonding, 373
Sorption
obdurators, light curing, 124
Strength
dental ceramics, 51
Sugars
saliva, Assessment, 189
Survey
bridgework, resin bonded, 221
Survival predictions
restorations, amalgam, 272
restorations, 278

Technique
composite restoratives, polymerization, 312
dental composites, inlays, 296
impressions, A-silicones, impression trays, 283
Techniques
linings, materials, review, 71
Trends
restorative dentistry, restorative materials, selection, 207

U.V. curing
posterior composites (direct), clinical trials, 214
Ultrasonic baths
ultrasound, cross-infection control, 62
Ultrasound
dentistry, review, 14
ultrasonic baths, cross-infection control, 62
Undercut gauges
dental surveyors, errors, 181

Veneers
microleakage, porcelain, 369

Wear
pit and fissure sealants, clinical evaluation, 3
dental composites, ionizing radiation, 241
Wound healing
implantology, fibroblasts, extracellular matrix, 107